



2.5.4 Proposition (Renaming Variables)

Let P be a propositional variable not occurring in $\psi[\phi]_p$.

1. If $\text{pol}(\psi, p) = 1$, then $\psi[\phi]_p$ is satisfiable if and only if $\psi[P]_p \wedge (P \rightarrow \phi)$ is satisfiable.
2. If $\text{pol}(\psi, p) = -1$, then $\psi[\phi]_p$ is satisfiable if and only if $\psi[P]_p \wedge (\phi \rightarrow P)$ is satisfiable.
3. If $\text{pol}(\psi, p) = 0$, then $\psi[\phi]_p$ is satisfiable if and only if $\psi[P]_p \wedge (P \leftrightarrow \phi)$ is satisfiable.





Renaming

SimpleRenaming $\phi \Rightarrow_{\text{SimpRen}} \phi[P_1]_{p_1}[P_2]_{p_2} \dots [P_n]_{p_n} \wedge$
 $\text{def}(\phi, p_1, P_1) \wedge \dots \wedge \text{def}(\phi[P_1]_{p_1}[P_2]_{p_2} \dots [P_{n-1}]_{p_{n-1}}, p_n, P_n)$
 provided $\{p_1, \dots, p_n\} \subset \text{pos}(\phi)$ and for all $i, i + j$ either $p_i \parallel p_{i+j}$ or
 $p_i > p_{i+j}$ and the P_i are different and new to ϕ

Simple choice: choose $\{p_1, \dots, p_n\}$ to be all non-literal and non-negation positions of ϕ .



Renaming Definition

$$\text{def}(\psi, p, P) := \begin{cases} (P \rightarrow \psi|_p) & \text{if } \text{pol}(\psi, p) = 1 \\ (\psi|_p \rightarrow P) & \text{if } \text{pol}(\psi, p) = -1 \\ (P \leftrightarrow \psi|_p) & \text{if } \text{pol}(\psi, p) = 0 \end{cases}$$





Obvious Positions

A smaller set of positions from ϕ , called *obvious positions*, is still preventing the explosion and given by the rules:

(i) p is an obvious position if $\phi|_p$ is an equivalence and there is a position $q < p$ such that $\phi|_q$ is either an equivalence or disjunctive in ϕ or

(ii) pq is an obvious position if $\phi|_{pq}$ is a conjunctive formula in ϕ , $\phi|_p$ is a disjunctive formula in ϕ and for all positions r with $p < r < pq$ the formula $\phi|_r$ is not a conjunctive formula.

A formula $\phi|_p$ is conjunctive in ϕ if $\phi|_p$ is a conjunction and $\text{pol}(\phi, p) \in \{0, 1\}$ or $\phi|_p$ is a disjunction or implication and $\text{pol}(\phi, p) \in \{0, -1\}$.

Analogously, a formula $\phi|_p$ is disjunctive in ϕ if $\phi|_p$ is a disjunction or implication and $\text{pol}(\phi, p) \in \{0, 1\}$ or $\phi|_p$ is a conjunction and $\text{pol}(\phi, p) \in \{0, -1\}$.





Polarity Dependent Equivalence Elimination

ElimEquiv1 $\chi[(\phi \leftrightarrow \psi)]_p \Rightarrow_{\text{ACNF}} \chi[(\phi \rightarrow \psi) \wedge (\psi \rightarrow \phi)]_p$
 provided $\text{pol}(\chi, p) \in \{0, 1\}$

ElimEquiv2 $\chi[(\phi \leftrightarrow \psi)]_p \Rightarrow_{\text{ACNF}} \chi[(\phi \wedge \psi) \vee (\neg\phi \wedge \neg\psi)]_p$
 provided $\text{pol}(\chi, p) = -1$



Extra \top , \perp Elimination Rules

ElimTB7	$\chi[\phi \rightarrow \perp]_p \Rightarrow_{\text{ACNF}} \chi[\neg\phi]_p$
ElimTB8	$\chi[\perp \rightarrow \phi]_p \Rightarrow_{\text{ACNF}} \chi[\top]_p$
ElimTB9	$\chi[\phi \rightarrow \top]_p \Rightarrow_{\text{ACNF}} \chi[\top]_p$
ElimTB10	$\chi[\top \rightarrow \phi]_p \Rightarrow_{\text{ACNF}} \chi[\phi]_p$
ElimTB11	$\chi[\phi \leftrightarrow \perp]_p \Rightarrow_{\text{ACNF}} \chi[\neg\phi]_p$
ElimTB12	$\chi[\phi \leftrightarrow \top]_p \Rightarrow_{\text{ACNF}} \chi[\phi]_p$

where the two rules ElimTB11, ElimTB12 for equivalences are applied with respect to commutativity of \leftrightarrow .



Advanced CNF Algorithm

1 **Algorithm: 3** $\text{acnf}(\phi)$

Input : A formula ϕ .

Output: A formula ψ in CNF satisfiability preserving to ϕ .

2 **whilerule** ($\text{ElimTB1}(\phi), \dots, \text{ElimTB12}(\phi)$) **do** ;

3 **SimpleRenaming**(ϕ) on obvious positions;

4 **whilerule** ($\text{ElimEquiv1}(\phi), \text{ElimEquiv2}(\phi)$) **do** ;

5 **whilerule** ($\text{ElimImp}(\phi)$) **do** ;

6 **whilerule** ($\text{PushNeg1}(\phi), \dots, \text{PushNeg3}(\phi)$) **do** ;

7 **whilerule** ($\text{PushDisj}(\phi)$) **do** ;

8 **return** ϕ ;



Propositional Resolution

The propositional resolution calculus operates on a set of clauses and tests unsatisfiability.

Recall that for clauses I switch between the notation as a disjunction, e.g., $P \vee Q \vee P \vee \neg R$, and the multiset notation, e.g., $\{P, Q, P, \neg R\}$. This makes no difference as we consider \vee in the context of clauses always modulo AC. Note that \perp , the empty disjunction, corresponds to \emptyset , the empty multiset. Clauses are typically denoted by letters C, D , possibly with subscript.





Resolution Reduction Rules

Subsumption $(N \uplus \{C_1, C_2\}) \Rightarrow_{\text{RES}} (N \cup \{C_1\})$
 provided $C_1 \subset C_2$

Tautology Deletion $(N \uplus \{C \vee P \vee \neg P\}) \Rightarrow_{\text{RES}} (N)$

Condensation $(N \uplus \{C_1 \vee L \vee L\}) \Rightarrow_{\text{RES}} (N \cup \{C_1 \vee L\})$

Subsumption Resolution $(N \uplus \{C_1 \vee L, C_2 \vee \text{comp}(L)\}) \Rightarrow_{\text{RES}}$
 $(N \cup \{C_1 \vee L, C_2\})$
 where $C_1 \subseteq C_2$





The Overall Picture

Application System + Problem
System Algorithm + Implementation
Algorithm Calculus + Strategy
Calculus Logic + States + Rules
Logic Syntax + Semantics